

1/6




FIG. 1

2/6




FIG. 2




FIG. 4

3/6




FIG. 3




FIG. 5

4/6




FIG. 6




FIG. 7

5/6

MQSeries Agent - Routes

File View Help

MD [Icons: File, Edit, Print, etc.] ?

<Route Name> <Response Time.(Warn.Crit)> <Heartbeat Msg. Count> <Heartbeat Msg. Size>

[D] [C] ✓ RMDEV4 RMDEV4_TO_RMPRB3 284 (500, 1000) 50 2048

Route Response Time

[Bar Chart: 90, 70, 50, 40, 30, 20, 15, 10, 5, 4, 3, 2]

Agent Name: MQAgent_RMDEV4 Version: 3..

Add Route

QMGR: RMDEV4

Route Name: Route_name

Heartbeat Msg Count: 10 Heartbeat Msg Size: 1024

Warning: 5000 Critical: 10000

Note: Warning and Critical thresholds are in milliseconds

Heartbeat Msg Size: minimum is 1024 bytes (1K)

OK CANCEL

FIG. 8a

FIG. 8b

6/6

MQSeries Agent - Local Queues

File View Help

h	% (Warn, Crit) >	< Avg Residency (Warn, Crit) >	< Max Residency (Warn, Crit) >
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓
2 (0, 0)	✗	13786 (500, 1000)	✗
2 (0, 0)	✗	13705 (500, 1000)	✗
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓
4 (0, 0)	✗	3628 (1500, 2500)	✗
0 (0, 0)	✓	0 (0, 0)	✓
0 (0, 0)	✓	0 (0, 0)	✓

28063 (2000, 3000)

RMDEV4

...RESIDENCY QUEUE

1500

2500

(MQQRESTM) Average Queue Residency

OK

CANCEL

Agent Name: MQAgent_RMDEV4

Version: 3..

FIG. 9b

FIG. 9a